


Hi-P 水路 Part II (落蓋式)

呼び名 H×B	寸 法 (mm)				参考重量(kg)	備 考
	a	b	e	f		
600× 600	800	552	124	130	1320	
× 800	1000	752	124	130	1444	
×1000	1200	952	124	130	1569	
×1200	1400	1152	124	130	1693	
×1500	1700	1452	124	130	1880	
×1800	2000	1752	124	130	2066	
×2000	2200	1952	124	130	2191	
700× 600	800	544	128	130	1441	
× 800	1000	744	128	130	1565	
×1000	1200	944	128	130	1690	
×1200	1400	1144	128	130	1814	
×1500	1700	1444	128	130	2001	
×1800	2000	1744	128	130	2187	
×2000	2200	1944	128	130	2311	
800× 600	800	536	132	130	1565	
× 800	1000	736	132	130	1690	
×1000	1200	936	132	130	1814	
×1200	1400	1136	132	130	1939	
×1500	1700	1436	132	130	2125	
×1800	2000	1736	132	130	2312	
×2000	2200	1936	132	130	2436	
900× 600	800	528	136	150	1771	
× 800	1000	728	136	150	1914	
×1000	1200	928	136	150	2058	
×1200	1400	1128	136	150	2201	
×1500	1700	1428	136	150	2417	
×1800	2000	1728	136	150	2632	
×2000	2200	1928	136	150	2776	
×2300	2500	2228	136	150	2991	
×2500	2700	2428	136	150	3135	

■ Hi-P 水路 Part II (落蓋式)

呼び名 H×B	寸 法 (mm)				参考重量 (kg)	備 考
	a	b	e	f		
1000× 800	1000	720	140	150	2047	
×1000	1200	920	140	150	2190	
×1200	1400	1120	140	150	2334	
×1500	1700	1420	140	150	2549	
×1800	2000	1720	140	150	2764	
×2000	2200	1920	140	150	2908	
×2300	2500	2220	140	150	3123	
×2500	2700	2420	140	150	3267	
1200× 800	1000	704	148	150	2323	
×1000	1200	904	148	150	2466	
×1200	1400	1104	148	150	2610	
×1500	1700	1404	148	150	2825	
×1800	2000	1704	148	150	3041	
×2000	2200	1904	148	150	3184	
×2300	2500	2204	148	150	3400	
×2500	2700	2404	148	150	3543	
×2800	3000	2704	148	150	3759	
×3000	3200	2904	148	150	3902	
1500× 800	1000	680	160	170	2862	
×1000	1200	880	160	170	3024	
×1200	1400	1080	160	170	3187	
×1500	1700	1380	160	170	3431	
×1800	2000	1680	160	170	3676	
×2000	2200	1880	160	170	3838	
×2300	2500	2180	160	170	4083	
×2500	2700	2380	160	170	4245	
×2800	3000	2680	160	170	4489	
×3000	3200	2880	160	170	4652	
1800×1000	1200	856	172	170	3502	
×1200	1400	1056	172	170	3665	
×1500	1700	1356	172	170	3909	
×1800	2000	1656	172	170	4153	
×2000	2200	1856	172	170	4316	
×2300	2500	2156	172	170	4560	
×2500	2700	2356	172	170	4723	
×2800	3000	2656	172	170	4967	
×3000	3200	2856	172	170	5130	

Hi-P 水路 Part II (落蓋式) スラブ (T-14用)、(T-20用)



■ Hi-P 水路 Part II (落蓋式) スラブ (T-14用)

呼び名	寸 法 (mm)					参考重量 (kg)	備 考
	b	b1	t	t1	t2		
B600	750	740	128	—	—	457	
B700	850	840	128	—	—	519	
B800	950	940	128	—	—	580	
B900	1050	1040	128	—	—	642	
B1000	1150	1140	128	—	—	703	
B1100	1250	1240	150	128	22	877	
B1200	1350	1340	150	128	22	949	
B1300	1450	1440	150	128	22	1021	
B1400	1550	1540	150	128	22	1093	
B1500	1650	1640	150	128	22	1165	
B1600	1750	1740	180	128	52	1454	
B1700	1850	1840	180	128	52	1540	
B1800	1950	1940	180	128	52	1627	
B1900	2050	2040	180	128	52	1713	
B2000	2150	2140	180	128	52	1800	

■ Hi-P 水路 Part II (落蓋式) スラブ (T-20用)

呼び名	寸 法 (mm)					参考重量 (kg)	備 考
	b	b1	t	t1	t2		
B600	750	740	180	128	52	590	
B700	850	840	180	128	52	676	
B800	950	940	180	128	52	763	
B900	1050	1040	180	128	52	849	
B1000	1150	1140	180	128	52	936	
B1100	1250	1240	180	128	52	1022	
B1200	1350	1340	180	128	52	1108	
B1300	1450	1440	180	128	52	1195	
B1400	1550	1540	180	128	52	1281	
B1500	1650	1640	180	128	52	1368	
B1600	1750	1740	180	128	52	1454	
B1700	1850	1840	180	128	52	1540	
B1800	1950	1940	180	128	52	1627	
B1900	2050	2040	180	128	52	1713	
B2000	2150	2140	180	128	52	1800	

※穴あけ、短切等の異形製品も受注生産いたします。